


CYLINDRICAL ANTI VIBRATION MOUNTS : TYPE C Female/Female



FEMALE - FEMALE Cylindrical mounts, a simple and cost effective mount. For use in compression and shear. A very large range of available size and studs.

H = Height
D = Diameter
G = Tread Size
B = Thread Depth

Applications:

Exhaust Systems, Small Fans, Instrument Panels.
Compressors, Motors, Electronic Control Panels.

Materials:

Natural Rubber
Styrene Butadiene Rubber (SBR)
Neoprene
Nitrile
Silicon

				45 Shore Hardness (Max KG)		60 Shore Hardness (Max KG)	
Item Number	D (mm)	H (mm)	G (mm)	Load	Sheer	Load	Sheer
VCFF0607M3	6	7	M3	1.2	0.3	2.2	0.47
VCFF0808M3	8	8	M3	1.5	0.4	2.6	0.7
VCFF0810M3	8	10	M3	1.5	0.3	2.5	0.5
VCFF0912M3	9	12	M3	1.3	0.6	2.4	1.1
VCFF0912M4	9	12	M4	1.3	0.7	4.68	1.26
VCFF1008M3	10	8	M3	3.11	0.99	9.1	2.64
VCFF1008M4	10	8	M4	3.11	0.99	9.1	2.64
VCFF1010M3	10	10	M3	2.88	1.1	8.9	3.41
VCFF1010M4	10	10	M4	2.88	1.1	8.9	3.41
VCFF1015M3	10	15	M3	2.07	0.77	6.4	2.53
VCFF1015M4	10	15	M4	2.07	0.77	6.4	2.53
VCFF1015M5	10	15	M5	2.07	0.77	6.4	2.53
VCFF1017M3	10	17	M3	1.84	0.55	5.8	1.76
VCFF1017M4	10	17	M4	1.84	0.55	5.8	1.76
VCFF1017M5	10	17	M5	1.84	0.55	5.8	1.76
VCFF1018M3	10	18	M3	1.61	0.495	5.2	1.65
VCFF1018M4	10	18	M4	1.61	0.495	5.2	1.65
VCFF1018M5	10	18	M5	1.61	0.495	5.2	1.65
VCFF1111M3	11	11	M3	2.3	0.88	6.6	2.53
VCFF1111M4	11	11	M4	2.3	0.88	6.6	2.53
VCFF1210M3	12	10	M3	4.03	1.54	11.5	3.3
VCFF1326M3	12	26	M3	1.61	0.495	5.2	1.65
VCFF1326M4	13	26	M4	1.61	0.495	5.2	1.65
VCFF1326M5	13	26	M5	1.61	0.495	5.2	1.65
VCFF1508M3	15	8	M3	13.8	3.3	28.8	5.72
VCFF1510M3	15	10	M3	10.58	4.4	17.4	5.72
VCFF1510M4	15	10	M4	10.58	4.4	17.4	5.72
VCFF1512M3	15	12	M3	9.43	2.97	16.7	5.72
VCFF1512M4	15	12	M4	9.43	2.97	16.7	5.72
VCFF1513M3	15	13	M3	9.09	2.86	16.2	5.72

This information is for guidance only. Customers are recommended to contact us for further technical information on products and applications. We reserve the right to alter specifications or withdraw products without notice.

				45 Shore Hardness (Max KG)		60 Shore Hardness (Max KG)	
Item Number	D (mm)	H (mm)	G (mm)	Load	Sheer	Load	Sheer
VCFF1513M4	15	13	M4	9.09	2.86	16.2	5.72
VCFF1513M5	15	13	M5	9.09	2.86	16.2	5.72
VCFF1515M3	15	15	M3	6.9	2.2	15.3	5.72
VCFF1515M4	15	15	M4	6.9	2.2	15.3	5.72
VCFF1515M5	15	15	M5	6.9	2.2	15.3	5.72
VCFF1520M3	15	20	M3	5.64	1.76	11.5	4.4
VCFF1520M4	15	20	M4	5.64	1.76	11.5	4.4
VCFF1520M5	15	20	M5	5.64	1.76	11.5	4.4
VCFF1525M3	15	25	M3	3.34	1.1	8.3	2.64
VCFF1525M4	15	25	M4	3.34	1.1	8.3	2.64
VCFF1525M5	15	25	M5	3.34	1.1	8.3	2.64
VCFF1530M3	15	30	M3	2.01	0.66	4.7	1.54
VCFF1530M4	15	30	M4	2.01	0.66	4.7	1.54
VCFF1530M5	15	30	M5	2.01	0.66	4.7	1.54
VCFF1610M5	16	10	M5	17.25	6.6	-	-
VCFF1618M3	16	18	M3	6.9	2.2	15.3	5.72
VCFF1618M4	16	18	M4	6.9	2.2	15.3	5.72
VCFF1618M5	16	18	M5	6.9	2.2	15.3	5.72
VCFF2015M4	20	15	M4	14.15	4.62	29.3	10.12
VCFF2015M5	20	15	M5	14.15	4.62	29.3	10.12
VCFF2017M4	20	17	M4	13.57	4.62	28.3	10.12
VCFF2017M5	20	17	M5	13.57	4.62	28.3	10.12
VCFF2020M5	20	20	M5	12.65	4.62	27	10.12
VCFF2020M6	20	20	M6	12.65	4.62	27	10.12
VCFF2020M8	20	20	M8	12.65	4.62	27	10.12
VCFF2025M5	20	25	M5	12.08	4.62	26.1	10.12
VCFF2025M6	20	25	M6	12.08	4.62	26.1	10.12
VCFF2025M8	20	25	M8	12.08	4.62	26.1	10.12
VCFF2030M5	20	30	M5	11.73	4.51	25.6	9.9
VCFF2030M6	20	30	M6	11.73	4.51	25.6	9.9
VCFF2030M8	20	30	M8	11.73	4.51	25.6	9.9
VCFF2515M6	25	15	M6	24.73	7.26	49.7	15.84
VCFF2515M8	25	15	M8	24.73	7.26	49.7	15.84
VCFF2517M6	25	17	M6	23.81	7.26	48.4	15.84
VCFF2517M8	25	17	M8	23.81	7.26	48.4	15.84
VCFF2520M6	25	20	M6	21.16	7.26	44.3	15.84
VCFF2520M8	25	20	M8	21.16	7.26	44.3	15.84
VCFF2522M6	25	22	M6	20.47	7.26	43	15.84
VCFF2522M8	25	22	M8	20.47	7.26	43	15.84
VCFF2525M6	25	25	M6	19.67	7.26	42.1	15.84
VCFF2525M8	25	25	M8	19.67	7.26	42.1	15.84
VCFF2527M6	25	27	M6	19.32	7.26	41.6	15.84

This information is for guidance only. Customers are recommended to contact us for further technical information on products and applications.
We reserve the right to alter specifications or withdraw products without notice.

				45 Shore Hardness (Max KG)		60 Shore Hardness (Max KG)	
Item Number	D (mm)	H (mm)	G (mm)	Load	Sheer	Load	Sheer
VCFF2527M8	25	27	M8	19.32	7.26	41.6	15.84
VCFF2530M6	25	30	M6	18.86	7.26	40.9	15.84
VCFF2530M8	25	30	M8	18.86	7.26	40.9	15.84
VCFF2622M6	26	22	M6	21.28	8.25	44.9	18.48
VCFF2622M8	26	22	M8	21.28	8.25	44.9	18.48
VCFF3015M6	30	15	M6	43.47	10.45	83.1	22.88
VCFF3018M6	30	18	M6	39.1	10.45	72.5	22.88
VCFF3020M6	30	20	M6	33.93	10.45	69	22.88
VCFF3020M8	30	20	M8	33.93	10.45	69	22.88
VCFF3022M6	30	22	M6	31.05	10.45	65.6	22.88
VCFF3022M8	30	22	M8	31.05	10.45	65.6	22.88
VCFF3025M10	30	25	M10	30.25	10.45	63.5	22.88
VCFF3025M6	30	25	M6	30.25	10.45	63.5	22.88
VCFF3025M8	30	25	M8	30.25	10.45	63.5	22.88
VCFF3030M10	30	30	M10	28.52	10.45	60.8	22.88
VCFF3030M6	30	30	M6	28.52	10.45	60.8	22.88
VCFF3030M8	30	30	M8	28.52	10.45	60.8	22.88
VCFF3035M10	30	35	M10	27.6	10.45	58.7	22.88
VCFF3035M6	30	35	M6	27.6	10.45	58.7	22.88
VCFF3035M8	30	35	M8	27.6	10.45	58.7	22.88
VCFF3040M10	30	40	M10	26.8	10.45	58.4	22.88
VCFF3040M6	30	40	M6	26.8	10.45	58.4	22.88
VCFF3040M8	30	40	M8	26.8	10.45	58.4	22.88
VCFF3045M10	30	45	M10	23	995.5	46	22.88
VCFF3045M6	30	45	M6	23	995.5	46	22.88
VCFF3045M8	30	45	M8	23	995.5	46	22.88
VCFF4015M6	40	15	M6	34.5	8.8	57.5	13.2
VCFF4020M6	40	20	M6	72.68	18.7	141	40.59
VCFF4020M8	40	20	M8	72.68	18.7	141	40.59
VCFF4025M6	40	25	M6	62.1	18.7	128.8	40.59
VCFF4025M8	40	25	M8	62.1	18.7	128.8	40.59
VCFF4028M10	40	28	M10	62.1	18.7	119.6	40.59
VCFF4028M6	40	28	M6	56.58	18.7	119.6	40.59
VCFF4028M8	40	28	M8	56.58	18.7	119.6	40.59
VCFF4030M10	40	30	M10	56.58	18.7	115.2	40.59
VCFF4030M6	40	30	M6	55.32	18.7	115.2	40.59
VCFF4030M8	40	30	M8	55.32	18.7	115.2	40.59
VCFF4035M10	40	35	M10	52.9	18.7	112.5	40.59
VCFF4035M6	40	35	M6	52.9	18.7	112.5	40.59
VCFF4035M8	40	35	M8	52.9	18.7	112.5	40.59
VCFF4038M10	40	38	M10	51.18	18.7	109.9	40.59
VCFF4038M6	40	38	M6	51.18	18.7	109.9	40.59

This information is for guidance only. Customers are recommended to contact us for further technical information on products and applications.
We reserve the right to alter specifications or withdraw products without notice.

				45 Shore Hardness (Max KG)		60 Shore Hardness (Max KG)	
Item Number	D (mm)	H (mm)	G (mm)	Load	Sheer	Load	Sheer
VCFF4038M8	40	38	M8	51.18	18.7	109.9	40.59
VCFF4040M10	40	40	M10	50.26	18.7	107.5	40.59
VCFF4040M6	40	40	M6	50.26	18.7	107.5	40.59
VCFF4040M8	40	40	M8	50.26	18.7	107.5	40.59
VCFF4045M10	40	45	M10	48.42	16.5	90	35.2
VCFF4045M6	40	45	M6	48.42	16.5	90	35.2
VCFF4045M8	40	45	M8	48.42	16.5	90	35.2
VCFF4060M10	40	60	M10	44.74	15.4	55.5	31.35
VCFF4060M6	40	60	M6	44.74	15.4	55.5	31.35
VCFF4060M8	40	60	M8	44.74	15.4	55.5	31.35
VCFF5020M8	50	20	M8	143.52	29.15	265.12	63.47
VCFF5025M10	50	25	M10	112.24	29.15	218.5	63.47
VCFF5025M8	50	25	M8	112.24	29.15	218.5	63.47
VCFF5030M10	50	30	M10	97.29	29.15	196.2	63.47
VCFF5030M12	50	30	M12	97.29	29.15	196.2	63.47
VCFF5030M8	50	30	M8	97.29	29.15	196.2	63.47
VCFF5035M10	50	35	M10	89.01	29.15	183.8	63.47
VCFF5035M12	50	35	M12	89.01	29.15	183.8	63.47
VCFF5035M8	50	35	M8	89.01	29.15	183.8	63.47
VCFF5037M10	50	37	M10	85.1	29.15	179.4	63.47
VCFF5037M12	50	37	M12	85.1	29.15	179.4	63.47
VCFF5037M8	50	37	M8	85.1	29.15	179.4	63.47
VCFF5040M10	50	40	M10	83.95	29.15	176.3	63.47
VCFF5040M12	50	40	M12	83.95	29.15	176.3	63.47
VCFF5040M8	50	40	M8	83.95	29.15	176.3	63.47
VCFF5045M10	50	45	M10	80.62	29.15	171.4	63.47
VCFF5045M12	50	45	M12	80.62	29.15	171.4	63.47
VCFF5045M8	50	45	M8	80.62	29.15	171.4	63.47
VCFF5050M10	50	50	M10	78.32	29.15	167.9	63.47
VCFF5050M12	50	50	M12	78.32	29.15	167.9	63.47
VCFF5050M8	50	50	M8	78.32	29.15	167.9	63.47
VCFF5080M10	50	80	M10	48.99	24.2	104.9	55
VCFF5080M12	50	80	M12	48.99	24.2	104.9	55
VCFF5080M8	50	80	M8	48.99	24.2	104.9	55
VCFF6025M10	60	25	M10	175.38	33	326.4	74.8
VCFF6025M8	60	25	M8	175.38	33	326.4	74.8
VCFF6030M10	60	30	M10	149.04	33	276	74.8
VCFF6030M12	60	30	M12	149.04	33	276	
VCFF6030M8	60	30	M8	149.04	33	276	74.8
VCFF6035M10	60	35	M10	142.26	33	264.3	74.8
VCFF6035M12	60	35	M12	142.26	33	264.3	74.8
VCFF6035M8	60	35	M8	142.26	33	264.9	74.8

This information is for guidance only. Customers are recommended to contact us for further technical information on products and applications.
We reserve the right to alter specifications or withdraw products without notice.

				45 Shore Hardness (Max KG)		60 Shore Hardness (Max KG)	
Item Number	D (mm)	H (mm)	G (mm)	Load	Sheer	Load	Sheer
VCFF6040M10	60	40	M10	128.8	33	240.5	74.8
VCFF6040M12	60	40	M12	128.8	33	240.5	74.8
VCFF6040M8	60	40	M8	128.8	33	240.5	74.8
VCFF6045M10	60	45	M10	115.12	33	214.8	74.8
VCFF6045M12	60	45	M12	115.12	33	214.8	74.8
VCFF6045M8	60	45	M8	115.12	33	214.8	74.8
VCFF4060M6	40	60	M6	44.74	15.4	55.5	31.35
VCFF4060M8	40	60	M8	44.74	15.4	55.5	31.35
VCFF5020M8	50	20	M8	143.52	29.15	265.12	63.47
VCFF5025M10	50	25	M10	112.24	29.15	218.5	63.47
VCFF5025M8	50	25	M8	112.24	29.15	218.5	63.47
VCFF5030M10	50	30	M10	97.29	29.15	196.2	63.47
VCFF5030M12	50	30	M12	97.29	29.15	196.2	63.47
VCFF5030M8	50	30	M8	97.29	29.15	196.2	63.47
VCFF4060M6	40	60	M6	44.74	15.4	55.5	31.35
VCFF4060M8	40	60	M8	44.74	15.4	55.5	31.35
VCFF5020M8	50	20	M8	143.52	29.15	265.12	63.47
VCFF5025M10	50	25	M10	112.24	29.15	218.5	63.47
VCFF5025M8	50	25	M8	112.24	29.15	218.5	63.47
VCFF5030M10	50	30	M10	97.29	29.15	196.2	63.47
VCFF5030M12	50	30	M12	97.29	29.15	196.2	63.47
VCFF5030M8	50	30	M8	97.29	29.15	196.2	63.47
VCFF6050M10	60	50	M10	102.24	33	190.3	74.8
VCFF6050M12	60	50	M12	102.24	33	190.3	74.8
VCFF6050M8	60	50	M8	102.24	33	190.3	74.8
VCFF6060M10	60	60	M10	83.95	33	156.4	74.8
VCFF6060M12	60	60	M12	83.95	33	156.4	74.8
VCFF6060M8	60	60	M8	83.95	33	156.4	74.8
VCFF6535M12	65	35	M12	184	38.5	402.5	74.8
VCFF7030M10	70	30	M10	247.71	44	256.1	88
VCFF7030M12	70	30	M12	247.71	44	526.1	88
VCFF7035M10	70	35	M10	218.04	44	449.8	88
VCFF7035M12	70	35	M12	218.04	44	449.8	88
VCFF7040M10	70	40	M10	188.37	44	373.5	88
VCFF7040M12	70	40	M12	188.37	44	373.5	88
VCFF7045M10	70	45	M10	181.13	44	357.1	88
VCFF7045M12	70	45	M12	181.13	44	357.1	88
VCFF7050M10	70	50	M10	163.65	44	336.6	88
VCFF7050M12	70	50	M12	163.65	44	336.6	88
VCFF7055M10	70	55	M10	156.52	44	325.9	88
VCFF7055M12	70	55	M12	156.52	44	325.9	88
VCFF7060M10	70	60	M10	138	44	253	88

This information is for guidance only. Customers are recommended to contact us for further technical information on products and applications.
We reserve the right to alter specifications or withdraw products without notice.

				45 Shore Hardness (Max KG)		60 Shore Hardness (Max KG)	
Item Number	D (mm)	H (mm)	G (mm)	Load	Sheer	Load	Sheer
VCFF7060M12	70	60	M12	138	44	253	88
VCFF7070M10	70	70	M10	126.5	44	218.5	88
VCFF7070M12	70	70	M12	126.5	44	218.5	88
VCFF75100M10	75	100	M10	144.1	44.77	304.8	115.83
VCFF75100M12	75	100	M12	144.1	44.77	304.8	115.83
VCFF7525M10	75	25	M10	344.31	65.56	747.5	142.89
VCFF7530M10	75	30	M10	307.4	65.56	652.9	142.89
VCFF7530M12	75	30	M12	307.4	65.56	652.9	142.89
VCFF7535M10	75	35	M10	270.6	65.56	558.1	142.89
VCFF7535M12	75	35	M12	270.6	65.56	558.1	142.89
VCFF7540M10	75	40	M10	233.68	65.56	463.5	142.89
VCFF7540M12	75	40	M12	233.68	65.56	463.5	142.89
VCFF7545M10	75	45	M10	219.08	65.56	433.1	142.89
VCFF7545M12	75	45	M12	219.08	65.56	443.1	142.89
VCFF7550M10	75	50	M10	203.09	65.56	417.7	142.89
VCFF7550M12	75	50	M12	203.09	65.56	417.7	142.89
VCFF7555M10	75	55	M10	194.24	65.56	404.5	142.89
VCFF7555M12	75	55	M12	194.24	65.56	404.5	142.89
VCFF7560M10	75	60	M10	178.25	65.56	368	130.46
VCFF7560M12	75	60	M12	178.25	65.56	368	130.46
VCFF7570M10	75	70	M10	161	55.33	340.9	126.72
VCFF7570M12	75	70	M12	161	55.33	340.9	126.72
VCFF8030M14	80	30	M14	399.63	114.51	757.5	216.7
VCFF100100M12	100	100	M12	181	342	50	95
VCFF100100M16	100	100	M16	181	342	50	95
VCFF10040M12	100	40	M12	522.22	116.6	983.1	253.99
VCFF10040M16	100	40	M16	522.22	116.6	983.1	253.99
VCFF10045M12	100	45	M12	475.53	116.6	908.5	253.99
VCFF10045M16	100	45	M16	475.53	116.6	908.5	253.99
VCFF10050M12	100	50	M12	411.36	116.6	851	253.99
VCFF10050M16	100	50	M16	411.36	116.6	851	253.99
VCFF10055M12	100	55	M12	397.33	116.6	796.8	253.99
VCFF10055M16	100	55	M16	397.33	116.6	796.8	253.99
VCFF10060M12	100	60	M12	347.3	116.6	695.8	253.99
VCFF10060M16	100	60	M16	347.3	116.6	695.8	253.99
VCFF10070M12	100	70	M12	333.5	116.6	610.2	253.99
VCFF10070M16	100	70	M16	333.5	116.6	610.2	253.99
VCFF10075M12	100	75	M12	316.25	116.6	502.1	253.99
VCFF10075M16	100	75	M16	316.25	116.6	502.1	253.99
VCFF10080M12	100	80	M12	302.45	116.6	469.5	253.99
VCFF10080M16	100	80	M16	302.45	116.6	469.5	253.99
VCFF15050M16	150	50	M20	720.25	214.17	1349.6	390.61

This information is for guidance only. Customers are recommended to contact us for further technical information on products and applications.
We reserve the right to alter specifications or withdraw products without notice.

				45 Shore Hardness (Max KG)		60 Shore Hardness (Max KG)	
Item Number	D (mm)	H (mm)	G (mm)	Load	Sheer	Load	Sheer
VCFF15050M20	150	50	M16	720.25	214.17	1349.6	390.61
VCFF15055M16	150	55	M20	679.54	214.17	1238.1	390.61
VCFF15055M20	150	55	M20	679.54	214.17	1238.1	390.61
VCFF15060M16	150	60	M16	614.45	214.17	1098.6	390.61
VCFF15060M20	150	60	M20	614.45	214.17	1098.6	390.61
VCFF15075M16	150	75	M16	514.97	204.05	926.9	351.56
VCFF15075M20	150	75	M20	514.97	204.05	926.9	351.56
VCFF200100M20	200	10	M20	1380	435.6	2300	726

This information is for guidance only. Customers are recommended to contact us for further technical information on products and applications.
We reserve the right to alter specifications or withdraw products without notice.