


CYLINDRICAL ANTI VIBRATION MOUNTS : TYPE D Male



MALE - FOOT/BUMP STOP Cylindrical mounts, a simple and cost effective mount. For use in compression or as a Buffer. A very large range of available size and studs.

H = Height
D = Diameter
G = Tread Size
L = Thread Length

Applications:

Exhaust Systems, Small Fans, Instrument Panels.
Compressors, Motors, Electronic Control Panels.

Materials:

Natural Rubber
Styrene Butadienne Rubber (SBR)
Neoprene
Nitrile
Silicon

Item Number	D (mm)	H (mm)	G x L (mm)	45 Shore Hardness (Max KG)		60 Shore Hardness (Max KG)	
				Load	Sheer	Load	Sheer
VCM0607M3	6	7	M3x6	1.3	-	2.2	-
VCM0805M3	8	5	M3x6	2.75	-	4.85	-
VCM0807M3	8	7	M3x6	2.6	-	4.7	-
VCM0808M3	8	8	M3x6	2.4	-	4.4	-
VCM0912M3	9	12	M3x6	1.8	-	5.4	-
VCM0912M4	9	12	M4x10	1.8	-	5.4	-
VCM0912M5	9	12	M5x12	1.8	-	5.4	-
VCM1008M3	10	8	M3x6	2.7	-	7.9	-
VCM1008M4	10	8	M4x10	2.7	-	7.9	-
VCM1010M3	10	10	M3x6	2.5	-	7.7	-
VCM1010M4	10	10	M4x10	2.5	-	7.7	-
VCM1010M5	10	10	M5x12	2.5	-	7.7	-
VCM1015M3	10	15	M3x6	1.8	-	5.6	-
VCM1015M4	10	15	M4x10	1.8	-	5.6	-
VCM1015M5	10	15	M5x12	1.8	-	5.6	-
VCM1017M3	10	17	M3x6	1.6	-	5	-
VCM1017M4	10	17	M4x10	1.6	-	5	-
VCM1017M5	10	17	M5x12	1.6	-	5	-
VCM1018M3	10	18	M3x6	1.4	-	4.5	-
VCM1018M4	10	18	M4x10	1.4	-	4.5	-
VCM1018M5	10	18	M5x12	1.4	-	4.5	-
VCM1030M3	10	30	M3x6	1	-	2.8	-
VCM1030M4	10	30	M4x10	1	-	2.8	-
VCM1030M5	10	30	M5x12	1	-	2.8	-
VCM1111M3	11	11	M3x6	2	-	5.7	-
VCM1111M4	11	11	M4x10	2	-	5.7	-
VCM1111M5	11	11	M5x12	2	-	5.7	-
VCM1210M3	12	10	M3x6	3.5	-	10	-
VCM1210M4	12	10	M4x10	3.5	-	10	-
VCM1210M5	12	10	M5x12	3.5	-	10	-

This information is for guidance only. Customers are recommended to contact us for further technical information on products and applications. We reserve the right to alter specifications or withdraw products without notice.

				45 Shore Hardness (Max KG)		60 Shore Hardness (Max KG)	
Item Number	D (mm)	H (mm)	G x L (mm)	Load	Sheer	Load	Sheer
VCM1315M4	13	15	M4x10	3.2	-	8.1	-
VCM1326M4	13	26	M4x10	1.4	-	4.5	-
VCM1326M5	13	26	M5x12	1.4	-	4.5	-
VCM1504M4	15	4	M4x15	22	-	53	-
VCM1505M4	15	5	M4x15	20.2	-	49	-
VCM1506M4	15	6	M4x15	17	-	41	-
VCM1507M4	15	7	M4x15	15.4	-	36	-
VCM1507M5	15	7	M5x15	15.4	-	36	-
VCM1508M4	15	8	M4x15	12	-	25	-
VCM1508M5	15	8	M5x15	12	-	25	-
VCM1509M4	15	9	M4x15	11	-	16.8	-
VCM1509M5	15	9	M5x15	11	-	16.8	-
VCM1510M4	15	10	M4x15	9.2	-	15.1	-
VCM1510M5	15	10	M5x15	9.2	-	15.1	-
VCM1512M4	15	12	M4x15	8.2	-	14.5	-
VCM1512M5	15	12	M5x15	8.2	-	14.5	-
VCM1513M4	15	13	M4x15	7.9	-	14.1	-
VCM1513M5	15	13	M5x15	7.9	-	14.1	-
VCM1515M4	15	15	M4x15	6	-	13.3	-
VCM1515M5	15	15	M5x15	6	-	13.3	-
VCM1520M4	15	20	M4x15	4.9	-	10	-
VCM1520M5	15	20	M5x15	4.9	-	10	-
VCM1525M4	15	25	M4x15	2.9	-	7.25	-
VCM1525M5	15	25	M5x15	2.9	-	7.25	-
VCM1530M4	15	30	M4x15	1.75	-	4.1	-
VCM1530M5	15	30	M5x15	1.75	-	4.1	-
VCM1610M4	16	10	M4x10	15	-		-
VCM1610M5	16	10	M5x12	16	-		-
VCM1618M4	16	18	M4x10	6	-	13.3	-
VCM1618M5	16	18	M5x12	6	-	13.3	-
VCM2005M5	20	5	M5x15	32	-	55	-
VCM2005M6	20	5	M6x18	32	-	55	-
VCM2008M5	20	8	M5x15	25	-	48	-
VCM2008M6	20	8	M6x18	25	-	48	-
VCM2010M6	20	10	M6x18	17	-	32.4	-
VCM2010M6	20	10	M8x20	17	-	32.4	-
VCM2011M5	20	11	M5x15	16.2	-	30.8	-
VCM2011M6	20	11	M6x20	16.2	-	30.8	-
VCM2011M8	20	11	M8x20	16.2	-	30.8	-
VCM2012M5	20	12	M5x15	14.8	-	28.1	-
VCM2012M6	20	12	M6x20	14.8	-	28.1	-
VCM2012M8	20	12	M8x20	14.8	-	28.1	-

This information is for guidance only. Customers are recommended to contact us for further technical information on products and applications.
We reserve the right to alter specifications or withdraw products without notice.

				45 Shore Hardness (Max KG)		60 Shore Hardness (Max KG)	
Item Number	D (mm)	H (mm)	G x L (mm)	Load	Sheer	Load	Sheer
VCM2013M5	20	13	M5x15	14.1	-	26.8	-
VCM2013M6	20	13	M6x20	14.1	-	26.8	-
VCM2013M8	20	13	M8x20	14.1	-	26.8	-
VCM2015M5	20	15	M5x15	12.3	-	25.5	-
VCM2015M6	20	15	M6x20	12.3	-	25.5	-
VCM2015M8	20	15	M8x20	12.3	-	25.5	-
VCM2017M5	20	17	M5x15	11.8	-	24.6	-
VCM2017M6	20	17	M6x20	11.8	-	24.6	-
VCM2017M8	20	17	M8x20	11.8	-	24.6	-
VCM2020M5	20	20	M5x15	11	-	23.5	-
VCM2020M6	20	20	M6x20	11	-	23.5	-
VCM2020M8	20	20	M8x20	11	-	23.5	-
VCM2023M5	20	23	M5x15	10.8	-	23	-
VCM2023M6	20	23	M6x20	10.8	-	23	-
VCM2023M8	20	23	M8x20	10.8	-	23	-
VCM2025M5	20	25	M5x15	10.5	-	22.7	-
VCM2025M6	20	25	M6x20	10.5	-	22.7	-
VCM2025M8	20	25	M8x20	10.5	-	22.7	-
VCM2030M5	20	30	M5x15	10.2	-	22.3	-
VCM2030M6	20	30	M6x20	10.2	-	22.3	-
VCM2030M8	20	30	M8x20	10.2	-	22.3	-
VCM2508M6	25	8	M6x20	39.6	-	79.2	-
VCM2020M5	20	20	M5x15	11	-	23.5	-
VCM2020M6	20	20	M6x20	11	-	23.5	-
VCM2020M8	20	20	M8x20	11	-	23.5	-
VCM2023M5	20	23	M5x15	10.8	-	23	-
VCM2023M6	20	23	M6x20	10.8	-	23	-
VCM2023M8	20	23	M8x20	10.8	-	23	-
VCM2025M5	20	25	M5x15	10.5	-	22.7	-
VCM2025M6	20	25	M6x20	10.5	-	22.7	-
VCM2025M8	20	25	M8x20	10.5	-	22.7	-
VCM2030M5	20	30	M5x15	10.2	-	22.3	-
VCM2030M6	20	30	M6x20	10.2	-	22.3	-
VCM2030M8	20	30	M8x20	10.2	-	22.3	-
VCM2508M6	25	8	M6x20	39.6	-	79.2	-
VCM2508M8	25	8	M8x20	39.6	-	79.2	-
VCM2510M6	25	10	M6x20	33	-	60.3	-
VCM2510M8	25	10	M8x20	33	-	60.3	-
VCM2512M6	25	12	M6x20	29	-	54.3	-
VCM2512M8	25	12	M8x20	29	-	54.3	-
VCM2513M6	25	13	M6x20	25.5	-	51	-
VCM2513M8	25	13	M8x20	25.5	-	51	-

This information is for guidance only. Customers are recommended to contact us for further technical information on products and applications.
We reserve the right to alter specifications or withdraw products without notice.

				45 Shore Hardness (Max KG)		60 Shore Hardness (Max KG)	
Item Number	D (mm)	H (mm)	G x L (mm)	Load	Sheer	Load	Sheer
VCM2514M6	25	14	M8x20	22.8	-	46	-
VCM2514M8	25	14	M8x20	22.8	-	46	-
VCM2515M6	25	15	M6x20	21.5	-	43.2	-
VCM2515M8	25	15	M8x20	21.5	-	43.2	-
VCM2517M6	25	17	M6x20	20.7	-	42.1	-
VCM2517M8	25	17	M8x20	20.7	-	42.1	-
VCM2518M6	25	18	M6x20	19.8	-	41.1	-
VCM2518M8	25	18	M8x20	19.8	-	41.1	-
VCM2519M6	25	19	M6x20	19	-	40	-
VCM2519M8	25	19	M8x20	19	-	40	-
VCM2520M6	25	20	M6x20	18.4	-	38.5	-
VCM2520M8	25	20	M8x20	18.4	-	38.5	-
VCM2522M6	25	22	M6x20	17.8	-	37.4	-
VCM2522M8	25	22	M8x20	17.8	-	37.4	-
VCM2525M6	25	25	M6x20	17.1	-	36.6	-
VCM2525M8	25	25	M8x20	17.1	-	36.6	-
VCM2527M6	25	27	M6x20	16.8	-	36.2	-
VCM2527M8	25	27	M8x20	16.8	-	36.2	-
VCM2528M6	25	28	M6x20	16.2	-	35.9	-
VCM2528M8	25	28	M8x20	16.2	-	35.9	-
VCM2530M6	25	30	M6x20	16.4	-	35.6	-
VCM2530M8	25	30	M8x20	16.4	-	35.6	-
VCM25.522M8	25.5	22	M8X20	25	-	32	-
VCM2622M6	26	22	M6x20	18.5	-	39	-
VCM2622M8	26	8	M8x20	18.5	-	39	-
VCM3008M10	30	8	M10x25	48	-	92	-
VCM3008M6	30	8	M6x20	48	-	92	-
VCM3008M8	30	8	M8x20	48	-	92	-
VCM3010M10	30	10	M10x25	45	-	90	-
VCM3010M6	30	10	M6x20	45	-	90	-
VCM3010M8	30	10	M8x20	45	-	90	-
VCM3012M10	30	12	M10x25	42	-	80	-
VCM3012M6	30	12	M6x20	42	-	80	-
VCM3012M8	30	12	M8x20	42	-	80	-
VCM3013M10	30	13	M10x25	40	-	78	-
VCM3013M6	30	13	M6x20	40	-	78	-
VCM3013M8	30	13	M8x20	40	-	78	-
VCM3015M10	30	15	M10x25	37.8	-	72.3	-
VCM3015M6	30	15	M6x20	37.8	-	72.3	-
VCM3015M8	30	15	M8x20	37.8	-	72.3	-
VCM3017M10	30	17	M10x25	36	-	67	-
VCM3018M10	30	18	M10x25	34	-	63	-

This information is for guidance only. Customers are recommended to contact us for further technical information on products and applications.
We reserve the right to alter specifications or withdraw products without notice.

				45 Shore Hardness (Max KG)		60 Shore Hardness (Max KG)	
Item Number	D (mm)	H (mm)	G x L (mm)	Load	Sheer	Load	Sheer
VCM3018M6	30	18	M6x20	34	-	63	-
VCM3018M8	30	18	M8x20	34	-	63	-
VCM3020M10	30	20	M10x25	29.5	-	60	-
VCM3020M6	30	20	M6x20	29.5	-	60	-
VCM3020M8	30	20	M8x20	29.5	-	60	-
VCM3020MS8	30	20	M8x15	29.5	-	60	-
VCM3022M10	30	22	M10x25	27	-	57	-
VCM3022M6	30	22	M6x20	27	-	57	-
VCM3022M8	30	22	M8x20	27	-	57	-
VCM3025M10	30	25	M10x25	26.3	-	55.2	-
VCM3025M10	30	25	M6x20	26.3	-	55.2	-
VCM3025M8	30	25	M8x20	26.3	-	55.2	-
VCM3030M10	30	30	M10x25	24.8	-	52.9	-
VCM3030M6	30	30	M6x20	24.8	-	52.9	-
VCM3030M8	30	30	M8x20	24.8	-	52.9	-
VCM3035M10	30	35	M10x25	24	-	51	-
VCM3035M6	30	35	M6x20	24	-	51	-
VCM3035M8	30	35	M8x20	24	-	51	-
VCM3040M10	30	40	M10x25	23.3	-	50.8	-
VCM3040M6	30	40	M6x20	23.3	-	50.8	-
VCM3040M8	30	40	M8x20	23.3	-	50.8	-
VCM3045M10	30	45	M10x25	20	-	40	-
VCM3045M6	30	45	M6x20	20	-	40	-
VCM3045M8	30	45	M8x20	20	-	40	-
VCM4010M10	40	10	M10x25	80	-	140	-
VCM4010M6	40	10	M6x20	80	-	140	-
VCM4010M8	40	10	M8x23	80	-	140	-
VCM4015M10	40	15	M10x25	71	-	130	-
VCM4015M6	40	15	M6x23	71	-	130	-
VCM4015M8	40	15	M8x23	71	-	130	-
VCM4020M10	40	20	M10x25	63.2	-	122.6	-
VCM4020M6	40	20	M6x20	63.2	-	122.6	-
VCM4025M10	40	25	M10x25	54	-	112	-
VCM4025M6	40	25	M6x20	54	-	112	-
VCM4025M8	40	25	M8x23	54	-	112	-
VCM4027M10	40	27	M10x25	51	-	108	-
VCM4027M6	40	27	M6x20	51	-	108	-
VCM4027M8	40	27	M8x23	51	-	108	-
VCM4028M10	40	28	M10x25	49.2	-	104	-
VCM4028M6	40	28	M6x20	49.2	-	104	-
VCM4028M8	40	28	M8x23	49.2	-	104	-
VCM4030M10	40	30	M10x25	48.1	-	100.2	-

This information is for guidance only. Customers are recommended to contact us for further technical information on products and applications.
We reserve the right to alter specifications or withdraw products without notice.

				45 Shore Hardness (Max KG)		60 Shore Hardness (Max KG)	
Item Number	D (mm)	H (mm)	G x L (mm)	Load	Sheer	Load	Sheer
VCM5027M10	50	27	M10x25	93.3	-	183.5	-
VCM5027M12	50	27	M12x37	93.3	-	183.5	-
VCM5027M8	50	27	M8x23	93.3	-	183.5	-
VCM5028M10	50	28	M10x25	88.9	-	177.1	-
VCM5028M8	50	28	M8x23	88.9	-	177.1	-
VCM5030M10	50	30	M10x25	84.6	-	170.6	-
VCM5030M12	50	30	M12x37	84.6	-	170.6	-
VCM5030M8	50	30	M8x23	84.6	-	170.6	-
VCM5035M10	50	35	M10x25	77.4	-	159.8	-
VCM5035M12	50	35	M12x37	77.4	-	159.8	-
VCM5035M8	50	35	M8x23	77.4	-	159.8	-
VCM5037M10	50	37	M10x25	74	-	156	-
VCM5037M12	50	37	M12x37	74	-	156	-
VCM5037M8	50	37	M8x23	74	-	156	-
VCM5038M12	50	38	M12x37	88.9	-	177.1	-
VCM5040M10	50	40	M10x25	73	-	153.3	-
VCM5040M12	50	40	M12x37	73	-	153.3	-
VCM5040M8	50	40	M8x23	73	-	153.3	-
VCM5042M10	50	42	M10x25	71.5	-	151.1	-
VCM5042M12	50	42	M12x37	71.5	-	151.1	-
VCM5042M8	50	42	M8x23	71.5	-	151.1	-
VCM5045M10	50	45	M10x25	70.1	-	149	-
VCM5045M12	50	45	M12x37	70.1	-	149	-
VCM5045M8	50	45	M8x23	70.1	-	149	-
VCM5050M10	50	50	M10x25	68.1	-	146	-
VCM5050M12	50	50	M12x37	68.1	-	146	-
VCM5050M8	50	50	M8x23	68.1	-	146	-
VCM5080M10	50	80	M10x25	42.6	-	91.2	-
VCM5045M8	50	45	M8x23	70.1	-	149	-
VCM5050M10	50	50	M10x25	68.1	-	146	-
VCM5050M12	50	50	M12x37	68.1	-	146	-
VCM5050M8	50	50	M8x23	68.1	-	146	-
VCM5080M10	50	80	M10x25	42.6	-	91.2	-
VCM5080M12	50	80	M12x37	42.6	-	91.2	-
VCM5080M8	50	80	M8x23	42.6	-	91.2	-
VCM6015M10	60	15	M10x25	209.8	-	353.1	-
VCM6015M8	60	15	M8x23	209.8	-	353.1	-
VCM6016M10	60	16	M10x25	208.9	-	350.3	-
VCM6016M8	60	16	M8x23	208.9	-	350.3	-
VCM6020M10	60	20	M10x25	198.6	-	334.3	-
VCM6020M8	60	20	M8x23	198.6	-	334.3	-
VCM6025M10	60	25	M10x25	152.5	-	283.8	-

This information is for guidance only. Customers are recommended to contact us for further technical information on products and applications.
We reserve the right to alter specifications or withdraw products without notice.

				45 Shore Hardness (Max KG)		60 Shore Hardness (Max KG)	
Item Number	D (mm)	H (mm)	G x L (mm)	Load	Sheer	Load	Sheer
VCM6025M12	60	25	M12x37	152.5	-	283.8	-
VCM6025M8	60	25	M8x23	152.5	-	283.8	-
VCM6030M10	60	30	M10x25	129.6	-	240	-
VCM6030M12	60	30	M12x37	129.6	-	240	-
VCM6030M8	60	30	M8x23	129.6	-	240	-
VCM6035M10	60	35	M10x25	123.7	-	229.8	-
VCM6035M12	60	35	M12x37	123.7	-	229.8	-
VCM6035M8	60	35	M8x23	123.7	-	229.8	-
VCM6040M10	60	40	M10x25	88.9	-	165.5	-
VCM6040M12	60	40	M12x37	88.9	-	165.5	-
VCM6040M8	60	40	M8x23	88.9	-	165.5	-
VCM6045M10	60	45	M10x25	100.1	-	186.8	-
VCM6045M12	60	45	M12x37	100.1	-	186.8	-
VCM6045M8	60	45	M8x23	100.1	-	186.8	-
VCM6050M10	60	50	M10x25	88.9	-	165.5	-
VCM6050M12	60	50	M12x37	88.9	-	165.5	-
VCM6050M8	60	50	M8x23	88.9	-	165.5	-
VCM6535M10	65	35	M10x25	160	-	350	-
VCM6535M12	65	35	M12x37	160	-	350	-
VCM6535M8	65	35	M8x23	160	-	350	-
VCM7020M10	70	20	M10x25	262.2	-	555.7	-
VCM7020M12	70	20	M12x37	262.2	-	555.7	-
VCM7025M10	70	25	M10x25	241.3	-	523.8	-
VCM7025M12	70	25	M12x37	241.3	-	523.8	-
VCM7030M10	70	30	M10x25	215.4	-	457.5	-
VCM7030M12	70	30	M12x37	215.4	-	457.5	-
VCM7035M10	70	35	M10x25	189.6	-	391.1	-
VCM7035M12	70	35	M12x37	189.6	-	391.1	-
VCM7040M10	70	40	M10x25	163.8	-	324.8	-
VCM7040M12	70	40	M12x37	163.8	-	324.8	-
VCM7045M10	70	45	M10x25	157.5	-	310.5	-
VCM7045M12	70	45	M12x37	157.5	-	310.5	-
VCM7050M10	70	50	M10x25	142.3	-	292.7	-
VCM7050M12	70	50	M12x37	142.3	-	292.7	-
VCM7053M10	70	53	M10x25	139.5	-	288.3	-
VCM7053M12	70	53	M12x37	139.5	-	288.3	-
VCM7055M10	70	55	M10x25	136.1	-	283.4	-
VCM7055M12	70	55	M12x37	136.1	-	283.4	-
VCM7060M10	70	60	M10x25	120	-	220	-
VCM7060M12	70	60	M12x37	120	-	220	-
VCM7070M10	70	70	M10x25	100	-	157	-
VCM7070M12	70	70	M12x37	100	-	157	-

This information is for guidance only. Customers are recommended to contact us for further technical information on products and applications.
We reserve the right to alter specifications or withdraw products without notice.

				45 Shore Hardness (Max KG)		60 Shore Hardness (Max KG)	
Item Number	D (mm)	H (mm)	G x L (mm)	Load	Sheer	Load	Sheer
VCM75100M10	75	100	M10x25	125.3	-	265	-
VCM75100M12	75	100	M12x37	125.3	-	265	-
VCM7520M10	75	20	M10x25	325.4	-	689.6	-
VCM7520M12	75	20	M12x37	325.4	-	689.6	-
VCM7525M10	75	25	M10x25	299.4	-	650	-
VCM7525M12	75	25	M12x37	299.4	-	650	-
VCM7530M10	75	30	M10x25	267.3	-	567.7	-
VCM7530M12	75	30	M12x37	267.3	-	567.7	-
VCM7535M10	75	35	M10x25	235.3	-	485.3	-
VCM7535M12	75	35	M12x37	235.3	-	485.3	-
VCM7540M10	75	40	M10x25	203.2	-	403	-
VCM7540M12	75	40	M12x37	203.2	-	403	-
VCM7540M12	75	45	M10x25	190.5	-	385.3	-
VCM7545M12	75	45	M12x37	190.5	-	385.3	-
VCM7550M10	75	50	M10x25	176.6	-	363.2	-
VCM7550M12	75	50	M12x37	176.6	-	363.2	-
VCM7555M10	75	55	M10x25	168.9	-	351.7	-
VCM7560M10	75	60	M10x25	155	-	320	-
VCM7560M12	75	60	M12x37	155	-	320	-
VCM7570M10	75	70	M10x25	140	-	296.4	-
VCM7570M12	75	70	M12x37	140	-	296.4	-
VCM8030M14	80	30	M14x 43	347.5	-	658.7	-
VCM100100M12	100	100	M12x37	250	-	400.6	-
VCM100100M16	100	100	M16x46	250	-	400.6	-
VCM10025M12	100	25	M12x37	540.2	-	1036.2	-
VCM10025M16	100	25	M16x46	540.2	-	1036.2	-
VCM10030M12	100	30	M12x37	499.6	-	1006.2	-
VCM10030M16	100	30	M16x46	499.6	-	1006.2	-
VCM10035M12	100	35	M12x37	469.3	-	914.3	-
VCM10035M16	100	35	M16x46	469.3	-	914.3	-
VCM10040M12	100	40	M12x37	454.1	-	854.9	-
VCM10040M16	100	40	M16x46	454.1	-	854.9	-
VCM10045M12	100	45	M12x37	413.5	-	790	-
VCM10045M16	100	45	M16x46	413.5	-	790	-
VCM10050M12	100	50	M12x37	357.7	-	740	-
VCM10050M16	100	50	M16x46	357.7	-	740	-
VCM10055M12	100	55	M12x37	345.5	-	692.9	-
VCM10055M16	100	55	M16x46	345.5	-	692.9	-
VCM10060M12	100	60	M12x37	302	-	605	-
VCM10060M16	100	60	M16x46	302	-	605	-
VCM10070M12	100	70	M12x37	290	-	530.6	-
VCM10070M16	100	70	M16x46	290	-	530.6	-

This information is for guidance only. Customers are recommended to contact us for further technical information on products and applications.
We reserve the right to alter specifications or withdraw products without notice.

				45 Shore Hardness (Max KG)		60 Shore Hardness (Max KG)	
Item Number	D (mm)	H (mm)	G x L (mm)	Load	Sheer	Load	Sheer
VCM10075M12	100	75	M12x37	275	-	436.6	-
VCM10075M16	100	75	M16x46	275	-	436.6	-
VCM10080M12	100	80	M12x37	263	-	408.3	-
VCM10080M16	100	80	M16x46	263	-	408.3	-
VCM15050M12	150	50	M12x46	626.3	-	1173.6	-
VCM15050M16	150	50	M20x41	626.3	-	1173.6	-
VCM15055M12	150	55	M16x46	590.9	-	1076.6	-
VCM15055M16	150	55	M20x41	590.9	-	1076.6	-
VCM15060M12	150	60	M16x46	534.3	-	955.3	-
VCM15060M16	150	60	M20x41	534.3	-	955.3	-
VCM15075M12	150	75	M16x46	447.8	-	806	-
VCM15075M16	150	75	M20x41	447.8	-	806	-
VCM200100M20	200	100	M20x41	1200	-	2000	-

This information is for guidance only. Customers are recommended to contact us for further technical information on products and applications.
We reserve the right to alter specifications or withdraw products without notice.